

This is Lab Worksheet 13 - not an Assignment

This Lab Worksheet contains some practical examples that will prepare you to complete your Assignments. You do not have to hand in this Lab Worksheet. Make sure you complete the separate Assignments on time. Quizzes and tests may refer to work done in this Lab Worksheet; save your answers.

Before you get started - REMEMBER TO READ ALL THE WORDS

You must have your own **Fedora 12** virtual machine (with **root** permissions) running to do this lab. You cannot do the lab on the **Course Linux Server** because you do not have **root** permissions on that machine.

Boot Process and GRUB

1 Commands, topics, and features covered

Use the on-line help (**man** command) for the commands listed below for more information. The Class Notes also cover the use of these commands and the syntax of GRUB pathnames.

- **df** – display space available (optionally inodes available) on all mounted file systems
- **grub** – **GRand Unified Bootloader** (legacy version 0.9x - **not** the Version 2 GRUB numbered 1.9x) The man page is useless. See this instead: <http://www.dedoimedo.com/computers/grub.html>
- **mount** – display a list of all mounted file systems, including devices, types, and mount points
- **uname** – display system name, kernel **release** and **version** number, machine, processor, and O/S type
- **/etc/inittab** – documentation on Run Levels; contains the default Run Level
- **/boot/grub/** – directory containing GRUB configuration files, especially the main GRUB configuration file named (in legacy GRUB 0.9x) **grub.conf** or **menu.lst**
- **/proc/cmdline** – a copy of whatever was on the GRUB **kernel** line at boot time

2 Use your host O/S - do snapshot - use root - need second disk

- Since this lab requires you to reboot your Linux virtual machine multiple times, you will find it easier to open this lab document in **Open/Libre Office** in your Windows host O/S, not inside Fedora where you will have to keep closing it to reboot (and can't read it while you are doing so). Use **OO** not **MSWord**!
- Take a **snapshot** of your virtual machine before you begin this lab so that you can **recover** if needed.
- Changing the boot process **requires** super-user (**root**) privileges. Use **root** throughout this lab.
- One question in this lab uses the second hard disk attached to your virtual machine in an earlier lab. If you do not have this second disk, you may go back to the previous lab and create one. Verify that the output of **fdisk -l /dev/sdb** shows the five partitions from the previous labs (1,2,3,5,6).

3 Boot Directory or Boot Partition device

The Linux kernel and associated files are stored under directory **/boot** on Linux. The **/boot** directory may be a subdirectory of the **ROOT** file system, or it may be its own mounted **BOOT** partition and file system. Fedora 12 uses a **separate** **BOOT** partition, which means GRUB pathnames and Linux pathnames differ.

1. Give a **two-command bash shell pipeline** that will first display the list of all mounted file systems and then pipe it into a command that displays **only** the line(s) containing the string **'/boot'** :

2. Give the one line of **output** of the above two-command bash shell pipeline:

3. Give the equivalent GRUB partition name (in parentheses) of the above mounted **/boot** file system:

4 Kernel Version Number (release number)

Your Linux kernel has a **version** number, as in "What **version** of the kernel are you running?". Unfortunately, the command that *displays* the kernel **version** number calls it a kernel **release** number, because it uses the name **version** to stand for the kernel *compile date*. Know that **version** means **release** in the documentation for this command. When asked for the "kernel **version**", interpret that to mean the "kernel **release**" number.

1. Give the **command line** that displays **only** the version (release) of the Linux kernel are you running:

2. Record your kernel **version** number (about 26 characters; begins with the digit 2):

5 GRUB Shell Commands

GRUB is a shell-like utility that has many built-in commands. See the Class Notes for help.

1. Do GRUB pathnames include the `/boot` directory prefix on Fedora 12? _____
2. Why? _____

Entering and Leaving the GRUB Shell

3. Start the command-line GRUB shell by typing `grub` at the **root** (super-user) BASH shell command prompt. Type `help` at the `grub>` prompt to see a partial list of GRUB shell commands. What GRUB shell command exits the GRUB shell and returns you to the BASH prompt? _____

Finding pathnames

4. Start GRUB. Enter the following GRUB shell command to find on which disk partition your **kernel** pathname is located. Where you see **xs**, **replace** those with information from your kernel **version** number. If you get "*File not found*", check your typing and permissions and **try again** until you find it:

```
grub> find /vmlinuz-2.X.XX.X-XXX.fc12.i686.PAE
```

5. Record the actual pathname you used: _____
6. Give the GRUB **partition** output of the above GRUB shell **find** command: _____
7. Look for the pathname `/grub/grub.conf` and record its GRUB **partition**: _____

Displaying Text Files

8. Use the GRUB shell `cat` command to display the contents of file `/grub/device.map` and record the **last** line of the file here: _____

Hint: You will need to **find** which **partition** the file is on, and **prefix** the file name with that partition.

Setting a default (root) disk and partition

9. The GRUB shell `root` command can set a disk **partition** device **prefix** that will be used in front of pathnames so that you don't have to type the partition name at the start of GRUB pathnames. Type the `root` command **without** any arguments and record the **current** default **device** name prefix (a floppy disk - not very useful): _____
10. Use the `root` command to **set** the the default partition to be the **same** as the partition of the `grub.conf` and `device.map` files, above. Enter that `root` GRUB command line here:

11. Having set a `root` device partition prefix, now enter the **shortest** GRUB shell command line that will display the file `/grub/grub.conf`: _____
12. Confirm that this command works without needing a partition prefix: `cat /grub/device.map`
If it doesn't work, redo the `root` command with the correct partition name prefix.

Disk Information

13. What GRUB shell **command line** will display the **geometry** (partitions) of the **first** disk?

14. Paste the **four-line output** (showing two partitions) of the above GRUB shell **geometry** command:

15. What GRUB shell **command line** will display the **geometry** (partitions) of the **second** disk (the disk you added in a previous lab)? _____

16. Paste the **six-line output** (showing four partitions) of the above GRUB shell **geometry** command:

17. Exit the GRUB Shell and return to your BASH shell prompt. Command used: _____

6 Configuring GRUB: grub.conf or menu.lst

The legacy GRUB configuration file is named `/boot/grub/grub.conf` on Fedora. It is named `menu.lst` on some other distributions of Linux, and a symbolic link in the same directory on Fedora gives it both names. Remember to snapshot your virtual machine and/or back up this file before you change it!

- Use `ls -li` on the **absolute** pathname of the above **symbolic link** and give the output here:

- If you have not already done so, edit (e.g. using `vi/vim`) the GRUB configuration file as follows:
 - Change the **timeout** from **0** to **30** so that GRUB waits 30 seconds for you before booting.
 - Comment-out the **hiddenmenu** command by putting **#** at the start of the line to disable it.
- Save all your work, close your programs, and then reboot your virtual machine.
- When the boot process begins, if you correctly disabled the **hiddenmenu** command in GRUB, you will go directly to the GRUB menu where you should see a one-line list of Fedora systems to boot and at the bottom a 30 second countdown in progress. Interrupt the countdown by pressing an arrow key. (If you didn't disable **hiddenmenu**, when the countdown is interrupted your system should display the one-entry GRUB menu.)
- Now, just as the GRUB menu instructions tell you, press just the single letter **'a'** to temporarily (for this boot only) edit the **kernel** command line arguments but do not press the **[Enter]** key yet!
- After pressing **'a'** you will see a line that ends with **rhgb quiet**. These are both **kernel** arguments: **rhgb = RedHat Graphical Boot** – gives a GUI mode booting screen with most of the information hidden while the user sees white and blue bands growing from left to right as Linux boots. **quiet =** hides the majority of boot messages before **rhgb** starts.
- On this **kernel** command line you should now **backspace** over the two words **rhgb quiet** to erase those two **kernel** options for this boot only and press **[Enter]** to continue booting using the new **kernel** option setting. The changes you make here are temporary for this boot only and are not saved.
- Watch the screen** during the boot process and notice all the boot process information that is displayed on the screen and no longer hidden. Note the huge difference made by disabling the graphics screen and enabling all system messages. You can diagnose many problems by viewing the full boot message list.
- Does using **'a'** to change the **kernel** boot options make a change that affects **every** reboot? _____
- Does using **'a'** to change the **kernel** boot options also change the **kernel** options saved in the GRUB configuration file on disk? _____

7 Booting into single-user mode (changing forgotten root password)

To change a forgotten **root** password, you can boot your system in a restricted **single-user** mode that does not start many system daemons and goes directly into a **root** shell prompt. The system should not be left in single-user mode; many things are not started. You may not even be able to log-in remotely in single-user mode.

To go **single-user**, reboot the system, enter the GRUB menu, edit any **kernel** line and remove the **rhgb quiet** options (as you did in the previous section) and replace them with the single-user option word **single** on the end of the **kernel** line and boot that modified entry. The system will come up in black-screen text console mode with a **root** shell prompt. You can perform any **root** function, including changing passwords.

1. Reboot in single-user mode exactly as given above and record here the last two lines you see on the black terminal console screen. (The last line is the **root** prompt.) You will have to re-type the two lines; cut and paste will not work in single-user console mode:

2. To leave single-user mode and start the system in multi-user mode, simply **exit** the console **root** shell. This will exit the single-user shell and allow the system to come up to the default Run Level.

8 Adding a boot image menu entry; preview configuration file

The first few lines of the GRUB configuration file give options that affect GRUB. In the bottom half of the file, every **title** keyword starts a paragraph of lines (four, in most cases) that defines a "**boot menu entry**". The Fedora 12 file only contains **one** boot menu entry to start. (Software updates may add more, but you were told not to install any software updates.) We will now add a second boot menu entry. (Where strings are quoted below, do not enter the quotes. The quotes are not part of the string.)

1. Back-up the GRUB configuration file somewhere safe, so that you can restore it if you make any errors.
2. In the GRUB configuration file, what keyword begins a "**boot menu entry**"? _____
3. How many lines are in a "**boot menu entry**" in your own configuration file? _____
4. Give the number of lines, words, characters in the GRUB configuration file: _____
5. Edit the GRUB configuration file on disk to make these on-disk permanent changes:
 - a) On the long line that begins with **kernel**, remove the two words at the end of the line: "**rhgb quiet**". This will allow you to see the kernel boot messages, which are essential to diagnose boot-time problems. (Save the file and confirm that the saved file has **two** fewer words in it.)
 - b) Using four or five command letters in **vi/vim**, **duplicate twice** the first and only four-line **boot menu entry** in the file. Duplicating it twice will add **eight** more lines to the file, **duplicating** the first (topmost) existing four-line boot menu section **two** times to create **three** identical sections of **four** lines. The four duplicated lines must each start with a **title** line. You must have three boot menu entries in total. (*Hint for vim: Yank four lines and paste them twice.*)
 - c) Insert the words "**single user**" in front of "**Fedora**" in the **title** line of the *second* (middle) **boot menu entry**. Next, add the correct keyword to this second **boot menu entry** that will enable **single-user** mode, just as you did temporarily in a previous section. You make it permanent here.
 - d) Insert the words "**text only**" in front of "**Fedora**" in the **title** line of the *third* (last) **boot menu entry**. Next, add the digit to this third **boot menu entry** that will enable the system to enter the full multi-user mode **Run Level without X11** graphics. Record the Run Level _____
 - e) Save the file. It should have gone from 17 lines to 25 lines because you added 8 lines.
6. Give the new number of lines, words, characters in the GRUB configuration file (you should see exactly **eight** more lines compared with the unmodified file): _____
7. Use **grep** to confirm that the new file contains **three** different **title** lines and paste the three title lines here: _____

Preview the new GRUB configuration file using the command-line GRUB shell inside Linux

8. Preview the new configuration file using the command-line GRUB shell inside Linux as follows:
 - a) At the Linux shell command line, start the GRUB shell (as **root**) and use the **configfile** command inside GRUB to load your changed configuration file. As a file name argument to **configfile** you will need to specify both the partition and the pathname to the GRUB configuration file you edited above. The errors *Invalid device requested* and/or *Cannot mount selected partition* mean you didn't get the partition name correct. The error *File not found* means you didn't get the pathname correct. The error *Selected disk does not exist* might mean you don't have enough permissions - read all the words. Keep trying until you get it right. Enter the **correct GRUB filename** you used to load the file: _____
 - b) When you get the **configfile** command right, you will see the message: "**Press any key to enter the menu**". When you see that message, use **[Enter]** to enter the menu (other keys will not work). (If you correctly disabled the **hiddenmenu** command in GRUB, you will go directly to the menu without needing to push **[Enter]**.)
 - c) Underneath the displayed banner "**GNU GRUB version 0.97**" you should see **three** menu entries: the original **Fedora** menu item and your two additional menu items. If this is not true, break out of the GRUB shell (see below), restore the GRUB configuration file from your saved backup copy, and redo the edits to make it true. You must see **three** menu entries before continuing:


```
0: Fedora (2.6.31.5-127.fc12.i686.PAE)
1: single user Fedora (2.6.31.5-127.fc12.i686.PAE)
2: text only Fedora (2.6.31.5-127.fc12.i686.PAE)
```
9. Break out of (interrupt) the GRUB shell using **^C** (control-C) to return to the BASH prompt. (You cannot actually select and run either of these menu entries without rebooting. If you try, you will get a harmless **segmentation fault** error from the Linux kernel that you try to load.)

Run the new GRUB configuration file

10. When you see all three menu entries, as shown above, you are ready to try your new GRUB menu. Reboot the Virtual Machine and interrupt the GRUB countdown to enter the GRUB menu, as you did before. This time, the menu should have **three** entries. If the menu does not have **three** entries, go back and try the edits again. Here is a graphic showing what you should see:

```
GNU GRUB version 0.97 (638K lower / 522176K upper memory)

Fedora (2.6.31.5-127.fc12.i686.PAE)
single user Fedora (2.6.31.5-127.fc12.i686.PAE)
text only Fedora (2.6.31.5-127.fc12.i686.PAE)
```

- a) Try the **second** menu entry to boot **single-user** (*Maintenance Mode*). You should boot up to a black text-only screen with a **root** shell prompt. This is where you would reset the **root password**, if you forget it. Type "**shutdown -r now**" at the **root** prompt to reboot again. (If you **exit** the single-user **root** shell prompt, your system will continue booting to its default Run Level.)
- b) As you reboot, enter the **GRUB** three-item menu again and try the **third GRUB** menu entry to boot **text-only** (no X11 graphics). You should boot up to a black text-only screen with a **login** prompt. Log in as the **root** account and type **telinit** followed by the Run Level number that will enable full X11 graphics. Your system will proceed to display the usual GUI graphical login screen.
- c) At the graphical login screen, log in as your userid, become the **root** user, and run **telinit** followed by the Run Level number that will **reboot** the system to the GRUB menu again.
- d) In the GRUB menu, use the arrow keys to move down to select and highlight the **second** menu option (**single user**) but do **not** push the **[Enter]** key yet:
- e) This time, use the single letter '**e**' key to **edit** the entire menu item. You will open another menu showing all **three** lines in the boot menu. You can view or edit any of the three lines before booting.

- f) Use the arrow keys to move down to the **kernel** line and again type the single letter 'e' key to **edit** that kernel line. You will be sent to the end of the kernel line, where you can confirm that the options "**rhgb quiet**" have been deleted and replaced with the **single-user** option keyword. (If this is not true, cancel the edit, continue the boot process, and redo this exercise to fix it.) Give the last option (the **single-user** option) visible on the kernel line: _____
- g) At the end of the kernel line, replace the **single-user** option keyword with the nonsense word "**doghouse**" and then push **[Enter]** to accept the changes. You will return to the previous three-line menu. Follow the instructions on this menu to **boot** the system using your changed menu item. What letter boots the system from this menu? _____
- h) The system should boot multi-user with the usual graphical login screen.
11. At the graphical login, log in to the system and copy here the **output** of: **cat /proc/cmdline**
- _____
- _____
12. Describe what **/proc/cmdline** contains: _____

9 Password-secured GRUB command line; TAB completion

- Take a **snapshot** of your working system (three-item menu) before you try to set passwords in GRUB.
- Give the number of lines, words, characters in the GRUB configuration file: _____
- Add the following GRUB option line near the beginning of the GRUB configuration file, anywhere **after** the comment lines and **before** any **title** sections: **password sesame**
- Save the file and give the new number of lines, words, characters in the file (you should see exactly **one** more line and **two** more words): _____
- In the command line GRUB shell, load and **preview** the modified configuration file (as you did before) using the Linux command-line version of GRUB (do not reboot!):
 - After loading the GRUB configuration file, press **[Enter]** when you see the message: **Press any key to enter the menu** (If you correctly disabled the **hiddenmenu** command in GRUB, you will go directly to the menu without needing to push **[Enter]**.)
 - At the bottom of the screen starting with the banner "**GNU GRUB version 0.97**" you should see instructions on using a password with "**p**". (If this isn't true, you need to break out and fix the file to ask for a password, first.) You should see this paragraph:
**Use the ^ and v keys to select which entry is highlighted.
 Press enter to boot the selected OS or 'p' to enter a
 password to unlock the next set of features**
 - Type the **seven** characters **psesame** (no spaces) and then push **[Enter]**. (You are typing the command "**p**" immediately followed by the password with no spaces between.)
 - The instructions should change to let you use all the GRUB edit commands. If you see "**Failed!**", you either typed the password command incorrectly (type **psesame**) or you have entered the wrong password in the GRUB configuration file. Push **[Enter]** and try the password again, or break out and fix things so that the password works before continuing. Make sure it works at the command line before you reboot the system!
- Once you have verified that the password works using GRUB at the shell inside Linux, break out of (interrupt) the GRUB shell using **^C** (control-C) to return to the BASH prompt.
- Reboot** your system and interrupt the GRUB countdown to display the three-item GRUB boot menu, as before. Note that the **'a'** and **'e'** commands do not work in this password-secured boot menu. Notice also the new instructions at the bottom of this menu, telling you how to enter a password to unlock more features. **Follow** the instructions to **unlock** the menu using the **sesame** password you specified, above.
- The **unlocked** menu now shows **all** the GRUB commands again. Type the single letter **'c'** to open the GRUB shell. This is the **boot-time** version of the GRUB shell you used at the command line earlier. The difference now is that the machine is running **only** the GRUB shell. No operating system has been found and loaded yet. GRUB is running **stand-alone** without any operating system.

TAB completion in GRUB (stand-alone version)

9. This boot-time version of the GRUB shell has working **TAB** command, device, and file name completion. (The **command-line** version of GRUB also should do this, but is broken under Fedora 12.)
 - a) Type the letter '**g**' and push **TAB** - GRUB will complete the command **geometry** for you.
 - b) After GRUB types **geometry** for you, continue by typing an open parenthesis and again push **TAB** - GRUB will tell you what possible disks you have: **geometry (<TAB>**
 - c) Continue and type **hd0** after the parenthesis and again push **TAB** - GRUB will add a comma.
 - d) Continue and push **TAB** again (after the comma) and GRUB will list all the partitions on the disk **hd0** and it will look like this: **geometry (hd0, <TAB>**
 - e) Type **^U** (control-U) to erase the line, leaving only the GRUB prompt.
 - f) Type **root** to display the default **device**. That **device** name is: _____
 - g) At the prompt type **ca** and push **TAB** - GRUB will complete the command name **cat** for you.
 - h) After GRUB types **cat** for you, continue by typing a forward **slash** (the start of a pathname argument to **cat**) and push **TAB** - GRUB will list all the possible file name completions for you, starting at the ROOT on the default device and it will look like this: **cat /<TAB>**
 - i) After the slash, type **grub/g** and push **TAB** - GRUB will complete the path **/grub/grub.conf** for you. Let the computer do your typing for you! Use the TAB key!
 - j) Push the Escape (**Esc**) key to return to the GRUB boot menu, pick the first line to boot, and log in.

10 Encrypted password-secured GRUB

The password in the GRUB configuration file is visible as plain text. This is not very secure. You can use fully encrypted passwords, using the built-in GRUB shell command **md5crypt** to encrypt them:

3. From the command line, start the GRUB shell and run the GRUB command **md5crypt** (no options or arguments). Respond to the password prompt with a new six-character password: **foobar** and record the encrypted value here (cut and paste!): _____
4. In a second terminal window, **edit** the GRUB configuration file and **replace** the **password** line you added earlier with this **new** line: **password --md5 encrypted_password**
Replace *encrypted_password* with the encrypted value you recorded, above. (Cut and paste!) Save the file. (Check the file; make sure you have the **same** number of lines in the file as before you started.)
5. In the command line GRUB shell, load and **preview** the modified configuration file (as you did before):
 - a) After loading the configuration file, press **[Enter]** when you see the message: **Press any key to enter the menu** (If you correctly disabled the **hiddenmenu** command in GRUB, you will go directly to the menu without needing to push **[Enter]**.)
 - b) At the bottom of the screen starting with the banner "**GNU GRUB version 0.97**" you should see instructions on using a password with "**p**". (If this isn't true, you need to break out and fix the file to ask for a password, first.) Type the **seven** characters **pfoobar** (no spaces) and then push **[Enter]**. (You are typing the command "**p**" immediately followed by the password with no spaces between.)
 - c) The instructions should change to let you use all the GRUB edit commands. If you see "**Failed!**", you either typed the password command incorrectly (type **pfoobar**) or you have the wrong encrypted password in the GRUB configuration file. Push **[Enter]** and try the password again, or break out and fix things so that the password works before continuing. Make sure it works at the command line before you reboot the system!
6. Once you have verified that the password works using GRUB at the shell inside Linux, break out of (interrupt) the GRUB shell using **^C** (control-C) to return to the BASH prompt.
7. **Reboot** your system and interrupt the GRUB countdown to display the three-item GRUB boot menu, as before. As you did before, verify that the password works at boot time as well.

If you have problems with a forgotten GRUB password locking you out of rebooting, you will need to restore the working snapshot of your Virtual Machine, or alternatively, boot the Virtual Machine into rescue mode with a Linux Install CDROM, and edit the file "**/sysimage/boot/grub/grub.conf**" to remove the password.